

SAFETY DATA SHEET

MATERIAL SAFETY DATA SHEET

Last changed: 14/09/2010

Internal No: ESC2032

Replaces date: 15/06/2010

Stripp-S3 Mg

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

- | | | |
|--------------------------|-----------------------------|--------------------------|
| <input type="checkbox"/> | Approved for use | <input type="checkbox"/> |
| <input type="checkbox"/> | Approved for laboratory use | <input type="checkbox"/> |
| <input type="checkbox"/> | Approved by | <input type="checkbox"/> |

TRADE NAME Stripp-S3 Mg
TYPE OF USE Detergent

National manufacturer/importer

Enterprise EnviroStripp Chemicals AB
Address Ålegårdsgatan 1
Postal code S-43150 MÖLNDAL
Country Sweden
E-mail info@envirostripp.se
Internet www.envirostripp.se
Telephone +46 31 27 12 11
Fax +46 31 27 71 80

Name	E-mail	Tel. (work)	Country
Cecilia Groth			

Emergency Phone	Type of assistance	Opening Hours
020-996000	Kemiakuten och Giftinformationscentralen.	

2. HAZARDS IDENTIFICATION



Harmful

GENERAL

HEALTH

Harmful by inhalation and if swallowed.

3. COMPOSITION / INFORMATION ON INGREDIENTS

No	Ingredient name	Reg.No	EC No.	CAS No.	Conc. (wt%)	Classification
1	Benzyl alcohol		202-859-9	100-51-6	80 - 95 %	Xn,20/22
2	Surfactant solution				10 - 20 %	No classification required

Explanation of symbols: T+=highly toxic, T=toxic, C=corrosive, Xn=harmful, Xi=irritant E=Explosive, O=Oxidising, F+=Extremely flammable, F=Highly flammable, N=Dangerous for the environment, Cancer=Carcinogenic, Mut=Mutagenic, Rep=Toxic for reproduction, Conc.=Concentration

SAFETY DATA SHEET

MATERIAL SAFETY DATA SHEET

Last changed: 14/09/2010

Internal No: ESC2032

Replaces date: 15/06/2010

Stripp-S3 Mg

4. FIRST AID MEASURES

GENERAL

Do not give victim anything to drink if he is unconscious.

INHALATION

Fresh air and rest. Get medical advice.

SKIN CONTACT

Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical advice if discomfort develops.

EYE CONTACT

Flush immediately with a soft jet of lukewarm water, also under the eyelids. Flush for at least 5 minutes. Contact a physician/eye specialist if necessary.

INGESTION

Give 1-2 glasses of water to drink if the affected person is fully conscious. Hospitalization necessary if the product is ingested.

5. FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

Water, CO₂, foam, dry chemical.

PROTECTIVE EQUIPMENT FOR FIRE FIGHTERS

Fresh air apparatus may be necessary.

OTHER INFORMATION

Prevent release of fire control water to surface water or ground water. Not flammable according to national regulations concerning flammable goods. Combustible material.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Handle with care usual when dealing with chemicals. Use protective equipment and keep unauthorized personnel away.

SAFETY ACTIONS TO PROTECT EXTERNAL ENVIRONMENT

Prevent discharge of significant quantities to drains.

METHODS FOR CLEANING UP

Mix the chemical with an inert material (sand, vermiculite, etc.) and place in a suitable container. Small quantities may be flushed away with large amounts of water.

OTHER INFORMATION

Call the fire department in case of large release.

7. HANDLING AND STORAGE

HANDLING PRECAUTIONS

Keep away from ignition sources. Take precautions against static electricity.

SAFETY DATA SHEET

MATERIAL SAFETY DATA SHEET

Last changed: 14/09/2010

Internal No: ESC2032

Replaces date: 15/06/2010

Stripp-S3 Mg

HANDLING ADVICE

Use personal protective equipment as specified in section 8. Eyewash facilities should be available at the workplace. Ventilate well.

STORAGE

Keep container tightly closed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE CONTROL

MECHANICAL VENTILATION and LOCAL EXHAUST VENTILATION may be necessary. BE CAREFUL WITH SMOKING, FIRE, SPARKS AND WELDING. Take precautions against static electricity.

RESPIRATORY PROTECTION

Respirator with A filter (brown).

EYE PROTECTION

Wear eye protection if there is a possibility of direct contact or splashes.

HAND PROTECTION

Use protective gloves of: Butyl rubber.

PROTECTIVE CLOTHING

Wear appropriate protective clothing to protect against possible skin contact.

OTHER INFORMATION

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid.
Colour	Yellowish.
Odour	Characteristic.
Solubility	Partially soluble in water.
Water solubility	Miscible

Physical and chemical parameters

Parameter	Value/unit	Method/reference	Observation
pH in solution	< 3		
Boiling point	~ 205 °C	Benzylalkohol	
Flash point	> 100 °C		
Vapour pressure	~ 0,28 mbar	Benzylalkohol	
Density	~ 1040 kg/m ³	Benzylalkohol	

10. STABILITY AND REACTIVITY

MATERIALS TO AVOID

Avoid contact with oxidizing and reducing agents.

SAFETY DATA SHEET

MATERIAL SAFETY DATA SHEET

Last changed: 14/09/2010

Internal No: ESC2032

Replaces date: 15/06/2010

Stripp-S3 Mg

HAZARDOUS DECOMPOSITION PRODUCTS

Contact with certain metals, e.g. aluminium and other light metals, may cause formation of hydrogen gas which forms explosive mixtures with air.

11. TOXICOLOGICAL INFORMATION

Acute toxic test results

Benzyl alcohol

Route of exposure	Value/unit	Species	Source
LD50(Oral)	1610 mg/kg	Råtta	
LC50(Inhalation)	> 4,178 mg/l	Råtta	

INHALATION

Inhalation of large amounts of vapour may cause: headache, smarting in nose, throat and mouth.

SKIN CONTACT

Prolonged or repeated contact may cause defatting, drying, irritant dermatitis and more serious skin diseases.

EYE CONTACT

Splashes in the eyes may cause irritation and reversible damage.

INGESTION

Ingestion may cause vomiting and abdominal pains, as well as symptoms similar to those caused by inhalation of vapours. Alcohol consumption increases risk of poisoning.

OTHER TOXICOLOGICAL INFORMATION

Irritation on skin (rabbit): mild irritation.

Mutagenic effect : Ames test negative.

Eye irritation, (rabbit): severe irritation.

(Regarding Benzyl alcohol)

12. ECOLOGICAL INFORMATION

ECOTOXICITY

Harmful to aquatic organisms. Regarding Benzyl alcohol.

DEGRADABILITY

Readily biodegradable according to OECD Screening test 301 > 90%.

ACCUMULATION

Does not bioaccumulate in water environment.

13. DISPOSAL CONSIDERATIONS

GENERAL REGULATIONS

To be disposed of in accordance with local regulations. Waste must be disposed of at approved landfill/waste storage or treatment facility.

SAFETY DATA SHEET

MATERIAL SAFETY DATA SHEET

Last changed: 14/09/2010

Internal No: ESC2032

Replaces date: 15/06/2010

Stripp-S3 Mg

14. TRANSPORT INFORMATION

Classified as Dangerous Goods: Yes No Not assessed

OTHER INFORMATION

Not considered as dangerous goods under UN, IMO, ADR/RID or IATA/ICAO regulations.

15. REGULATORY INFORMATION



Harmful

EC-Label No Yes Not assessed

COMPOSITION

Benzyl alcohol (80 - 95 %), Surfactant solution (10 - 20 %)

R-PHRASES

Nr.	R-Phrase text
R20/22	Harmful by inhalation and if swallowed.

S-PHRASES

S-26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

LEGISLATION

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

OTHER INFORMATION

SAFETY DATA SHEET

MATERIAL SAFETY DATA SHEET

Last changed: 14/09/2010

Internal No: ESC2032

Replaces date: 15/06/2010

Stripp-S3 Mg

16. OTHER INFORMATION

VENDOR NOTES

CAUTION:

SLIPPERY - Be aware of spillage!

BURN INJURIES - When using hot fluid/objects there are risk for burn injuries.

The information contained here in is based on the present state of our knowledge and does not therefore guarantee certain properties. Recipients of our product must take responsibility for observing existing laws and regulations.

LIST OF RELEVANT R-PHRASES

Nr.	R-Phrase text
R20/22	Harmful by inhalation and if swallowed.

REVISION HISTORY

Version	Rev. date	Responsible	Changes
1.0.0	14/09/2010	EH	Namnändring från Stripp-S3S till Stripp-S3 Mg.