MATERIAL SAFETY DATA SHEET Internal No: ESC2029

Last changed: 01/04/2010

Replaces date:

Stripp-S3L

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING					
Approved for use					
Approved for labora	atory use				
Approved by					
TRADE NAME	Stripp-S3L				
TYPE OF USE	Detergent				
National manufacturer/in	mporter				
Enterprise	EnviroStripp Chemicals AB				
Address	Ålegårdsgatan 1				
Postal code	S-43150 MÖLNDAL				
Country	Sweden				
E-mail	info@envirostripp.se				
Internet	www.envirostripp.se				
Telephone	+46 31 27 12 11				
Fax	+46 31 27 71 80				
Name	E-mail	Tel. (work)	Country		
Cecilia Groth					
2. HAZARDS IDENTIFIC	CATION				
		_			



Harmful

GENERAL

HEALTH

Harmful by inhalation and if swallowed. Irritating to eyes and skin.

3. COMPOSITION / INFORMATION ON INGREDIENTS

No	Ingredient name	Reg.No	EC No.	CAS No.	Conc.	Classification
					(wt%)	
1	Benzyl alcohol		202-859-9	100-51-6	30 - 50 %	Xn,20/22
2	Glycolic acid			79-14-1	6,5 - 9,5 %	C,R34
3	Corrosions inhibitors				1 - 5 %	No classification required
4	Anionic Surfactant				20 - 35 %	Xi,R36/38

Explanation of symbols: T+=highly toxic, T=toxic, C=corrosive, Xn=harmful, Xi=irritant E=Explosive, O=Oxidising, F+=Extremely flammable, F=Highly flammable, N=Dangerous for the environment, Cancer=Carcinogenic, Mut=Mutagenic, Rep=Toxic for reproduction, Conc.=Concentration

MATERIAL SAFETY DATA SHEET

Last changed: 01/04/2010

Internal No: ESC2029

Replaces date:

Stripp-S3L

4. FIRST AID MEASURES	

GENERAL

Do not give victim anything to drink if he is unconscious.

INHALATION

Contact physician. Fresh air and rest.

SKIN CONTACT

Remove contaminated clothing. Immediately rinse with water for several minutes. Get medical advice if discomfort develops.

EYE CONTACT

Flush with large amounts of water (open eyelids) for at least 5 minutes. Contact physician.

INGESTION

Give 1-2 glasses of water to drink if the affected person is fully conscious. Hospitalization necessary if the product is ingested.

5. FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

Water, CO2, foam, dry chemical.

FIRE AND EXPLOSION HAZARDS

Non-flammable.

PROTECTIVE EQUIPMENT FOR FIRE FIGHTERS

Fresh air apparatus may be necessary.

OTHER INFORMATION

Prevent release of fire control water to surface water or ground water.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Handle with care usual when dealing with chemicals. Use protective equipment and keep unauthorized personnel away.

SAFETY ACTIONS TO PROTECT EXTERNAL ENVIRONMENT

Prevent discharge of significant quantities to drains.

METHODS FOR CLEANING UP

Mix the chemical with an inert material (sand, vermiculite, etc.) and place in a suitable container. Small quantities may be flushed away with large amounts of water.

OTHER INFORMATION

Call the fire department in case of large release.

MATERIAL SAFETY DATA SHEET

Last changed: 01/04/2010 Internal No: ESC2029 Replaces date:

Stripp-S3L

7. HANDLING AND STORAGE

HANDLING PRECAUTIONS

Keep away from ignition sources. Take precautions against static electricity.

HANDLING ADVICE

Use personal protective equipment as specified in section 8. Eyewash facilities should be available at the workplace. Ventilate well.

STORAGE

Keep container tightly closed. Suitable container: Stainless steel. Plastic.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE CONTROL

MECHANICAL VENTILATION and LOCAL EXHAUST VENTILATION may be necessary. BE CAREFUL WITH SMOKING, FIRE, SPARKS AND WELDING. Take precautions against static electricity.

RESPIRATORY PROTECTION

Respirator with A filter (brown).

EYE PROTECTION

Use approved safety goggles or face shield.

HAND PROTECTION

Use protective gloves of: Butyl rubber.

PROTECTIVE CLOTHING

Wear appropriate protective clothing to protect against possible skin contact.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid.
Colour Yellowish.
Odour Characteristic.

Solubility Partially soluble in water.

Water solubility Miscible

Physical and chemical parameters

_ =J						
Parameter	Value/unit	Method/reference	Observation			
pH in solution	~ 2,9					
Boiling point	> 100 °C					
Flash point	> 100 °C					

10. STABILITY AND REACTIVITY

MATERIALS TO AVOID

Avoid contact with oxidizing and reducing agents. Reacts with strong bases and oxidation agents

HAZARDOUS DECOMPOSITION PRODUCTS

Contact with certain metals e.g. steel, hydrogen gas may occur and give explosive detonating gas into air.

MATERIAL SAFETY DATA SHEET

Last changed: 01/04/2010

Internal No: ESC2029

Replaces date:

Stripp-S3L

11. TOXICOLOGICAL INFORMATION

Acute toxic test results

Benzyl alcohol

Route of exposureValue/unitSpeciesSourceLC50(Inhalation)> 4,178 mg/lRåttaLD50(Oral)1610 mg/kgRåtta

Glycolic acid

Route of exposure Value/unit Species Source

LD50(Oral) 1950 mg/kg Råtta LC50(Inhalation) 7 mg/l Råtta

INHALATION

Inhalation of large amounts of vapour may cause: headache, smarting in nose, throat and mouth.

SKIN CONTACT

Irritating to skin. Prolonged or repeated contact may cause defatting, drying, irritant dermatitis and more serious skin diseases.

EYE CONTACT

Eye irritation test (rabbit): Irritating to eyes.

INGESTION

Ingestion may cause vomiting and abdominal pains, as well as symptoms similar to those caused by inhalation of vapours. Alcohol consumption increases risk of poisoning.

SENSITIZATION

OTHER TOXICOLOGICAL INFORMATION

Irritation on skin (rabbit): mild irritation. Mutagenic effect : Ames test negative. Eye irritation, (rabbit): severe irritation.

(Regarding Benzyl alcohol)

12. ECOLOGICAL INFORMATION

ECOTOXICITY

Harmful to aquatic organisms. Regarding Benzyl alcohol.

EC50 (Scenedesmus subspicatus): 10-100mg/l; 72h; OECD 201. Regarding anionic surfactant. LC50(Leuciscus idus melantus): 1-10mg/l; 72h;OECD 203. Regarding anionic surfactant.

DEGRADABILITY

Readily biodegrable.

Closed bottle test, BOD > 90% (OECD 301D). Regarding benzyl alcohol.

Readily biodegrable> 60% after 28 days. (OECD 301B). Regarding anionic surfactant.

Glycolic acid is readily biodegrable.

MATERIAL SAFETY DATA SHEET Internal No: ESC2029 R

Last changed: 01/04/2010

Replaces date:

Stripp-S3L

ACCUM	TILA	TION

Does not bioaccumulate in water environment.

CONCLUSION

All ingredients are classified as readily biodegrable.

OTHER INFORMATION

Information given is based on a knowledge of the components as well as ecotoxicological data for similar products.							
13. DISPOSAL CONSIDI	ERATIONS						
GENERAL REGULATIONS To be disposed of in according to local regulations. Waste must be disposed of at approved landfill/waste storage or treatment facility. 14. TRANSPORT INFORMATION							
Classified as Dangerous G			Yes		No	Not assessed	
OTHER INFORMATION Not considered as dangerous goods under UN, IMO, ADR/RID or IATA/ICAO regulations.							
15. REGULATORY INFO	ORMATION						
			Harm	ful			
EC-Label	⊠ N	lo		Yes		Not assessed	
COMPOSITION Benzyl alcohol (30 - 50 %), Glycolic acid (6,5 - 9,5 %), Corrosions inhibitors (1 - 5 %), Anionic Surfactant (20 - 35 %)							
R-PHRASES							
Nr.	R-Phrase to	ext					
R20/22	Harmful by	inhalation a	and if swal	lowed.			

R36/38 Irritating to eyes and skin.

MATERIAL SAFETY DATA SHEET

Last changed: 01/04/2010

Internal No: ESC2029

Replaces date:

Stripp-S3L

S-PHRASES

S-24 Avoid contact with skin.S-26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.S-37/39 Wear suitable gloves and eye/face protection.

LEGISLATION

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

OTHER INFORMATION

16. OTHER INFORMATION

VENDOR NOTES

CAUTION:

SLIPPERY - Be aware of spillage!

BURN INJURIES - When using hot fluid/objects there are risk for burn injuries.

The information contained here in is based on the present state of our knowledge and does not therefore guarantee certain properties. Recipients of our product must take responsibility for observing existing laws and regulations.

LIST OF RELEVANT R-PHRASES

Nr. R-Phrase text

R20/22 Harmful by inhalation and if swallowed.

R34 Causes burns.

R36/38 Irritating to eyes and skin.

REVISION HISTORY

Version	Rev. date	Responsible	Changes				
1.0.0	22/11/2010	ЕН	Corrections are made at section 2, 3, 4, 11, 15 and 16.				